

Écrit par WHO

Vendredi, 25 Mai 2018 14:48 - Mis à jour Vendredi, 25 Mai 2018 14:55



Noncommunicable diseases

Health Assembly delegates called for stepped up action in the global fight to beat noncommunicable diseases (NCDs), including urging for participation by heads of state and government at the Third United Nations General Assembly High-level Meeting on the Prevention and Control of NCDs on 27 September 2018.

Member States reiterated that the international community has committed, in line with the Sustainable Development Goals (SDG), to reduce by one-third by 2030 premature deaths from NCDs, primarily cardiovascular disease, cancers, diabetes and chronic respiratory diseases, and to promote mental health and wellbeing. Each year, 15 million people aged 30 to 70 years die from an NCD and the current levels of decline in risk of premature death from NCDs are insufficient to meet the SDG NCD target.

The Assembly recognized that enhanced political leadership is needed to accelerate prevention and control of NCDs, such as by implementing cost-effective and feasible “best buys” and other recommended interventions to prevent and control NCDs. These measures include actions to reduce the main disease risks, namely tobacco use, physical inactivity, harmful use of alcohol and unhealthy diets, as well as air pollution. Health systems must be strengthened by implementing effective measures that better detect people at risk of NCDs and providing drug therapies and services to reduce deaths from heart attacks, stroke and diabetes. Prevention and management of mental disorders also requires urgent action.

Polio transition

Today delegates considered WHO's 5-year strategic action plan on polio transition designed to strengthen country health systems impacted by the scaling down and eventual closure of the Global Polio Eradication Initiative (GPEI). The strategic plan was based on the priorities of the national government transition plans, and developed in close collaboration with WHO regional and country offices. The implementation of the plan will require coordination with all country-level and global partners. The plan complements the Africa Immunization Business Case to strengthen immunization systems in the African continent, and also the significant progress made in the integration of the polio functions in the South-East Asian Region.

The strategy supports country ownership of essential polio functions like surveillance, laboratory networks, and some core infrastructure that are needed to (i) sustain a polio-free world after eradication of polio virus; (ii) strengthen immunization systems, including surveillance for vaccine-preventable diseases; and (iii) strengthen emergency preparedness, detection and response capacity to ensure full implementation of the International Health Regulations. WHO commits to continue providing technical assistance and resource mobilization support to countries engaged in polio transition.

Écrit par WHO

Vendredi, 25 Mai 2018 14:48 - Mis à jour Vendredi, 25 Mai 2018 14:55

Delegates noted the importance of integrating essential polio functions into national health systems. They proposed that this plan be a “living document” and be revised based on the development of the Programme Budget for 2020-21, and requested an updated report for the 144th Executive Board and the 172nd WHA.

Tuberculosis

Delegates agreed on a resolution urging the WHO Director-General, Member States and partners to continue support to preparations for the high-level meeting of the UN General Assembly on ending tuberculosis in September this year.

The resolution also commits Member States to accelerate their actions to end TB, building on the commitments of the WHO Global Ministerial Conference on Ending TB, held in Moscow in November 2017. It welcomes WHO's efforts to develop a multisectoral accountability framework towards ending TB, and requests the Secretariat to develop a new global strategy for TB research and innovation and supports next steps in its development and use.

Current efforts to implement the World Health Assembly-approved End TB Strategy and to meet the SDG target of ending TB are currently falling short. TB claimed 1.7 million lives in 2016 worldwide, including 0.4 million among people with HIV. TB remains the leading infectious disease killer in the world and is one of the top ten global causes of death. It is hoped that the September meeting will prompt a renewal of high-level political commitment to accelerate action to end TB.

Cholera

Delegates endorsed a resolution urging cholera-affected countries to implement a roadmap that aims to reduce deaths from the disease by 90% by 2030. The resolution also urges WHO to increase its capacity to support countries fighting the disease; strengthen surveillance and reporting of cholera; and reinforce its leadership and coordination of global prevention and control efforts.

Cholera kills an estimated 95 000 people and affects 2.9 million more every year, disproportionately impacting communities already burdened by conflict, lack of infrastructure, poor health systems and malnutrition. Over 2 billion people worldwide still lack access to safe water and are at potential risk of the disease.

‘Ending Cholera: A Global Roadmap to 2030’ was launched last year by the Global Task Force on Cholera Control (GTFCC) and underscores the need for a coordinated approach to combat the disease with country-level planning for early detection and response to outbreaks, and long-term preventive water, sanitation and hygiene (WaSH) interventions.